Conquest® Semi-Instantaneous GAS CONDENSING WATER HEATER

AquaPLEX[®] Storage Tank and Heat Exchanger (unlined duplex alloy) • 130 Gallon Tank

MODEL V	INPUT BTU	Modulating	RECOVERY GPH (Thermal Efficiency)		** GAS	** VENT DIAMETER	005047
			70°F to 140°F ①	40°F to 140°F ②	CONNECTION NPT	(ETL listed for longer vents with larger dia.)	OPERATING Weight (lbs)
90 L 130A-GCML	900,000	Yes	1471 (95%)	1041 (96%)	1	6" @ 150 eq. ft.	1825
100 L 130A-GCML	999,000	Yes	1635 (95%)	1157 (96%)	1	6" @ 150 eq. ft.	
 Recoveries and th Recoveries and th Dimensions are in in For standard and op Empty weight is 750 	nermal efficier ches unless of tional equipm	ncy based upor herwise indica ent, refer to fo	n 40°F entering wat ted rm PV 9028	er temperature	10.3 @ 70°F t	-l	Hz.
CONDENSATE DRAIN ¹ / ₂ " BARB FITTING T&P VALVE DRAIN VALVE DRAIN VALVE HOT OUTLET ² " NPT DNNECT FROM TOP)		(REFER TO I COLD INLET BUILDING RI TOP ACCES OPENING GAS CONNE CONNECT F (GAS TRAIN	ETURN S ECTION	YG) ✓ COMBUSTION AIR CONNECTION 65 [™] O.D. (REMOVABLE FOR DOORWAY CLEARANC 0007WAY CLEARANC		Venting Use a Category I ^V ETL, UL, ULC or steel or Centrothe Polypropylene ve Minimum vent ler Maximum vent ler model number an Inlet Combusti Use PVC or galva 150 eq. ft. using 6 Longer lengths ar larger diameters, manual.	V PVC, CPVC or CSA listed stainless erm InnoFlue SW nt. igth is 5 eq. feet. ogth varies by d vent diameter. on Air Duct anized pipe. " pipe. e ETL listed with refer to installation
		KIT ATTAC	SURE		T&P VALVE BUILDING RETURN 2" NPT 46 ¹ / ₂ 35 ¹ / ₄	Maximum static p For LP gas, refermanual. Minimum Clea from Combust Zero clearance fr 24" from front, 15 installed directly of Recommended ances 18" from all sides Check local and r additional clearan Emissions All models < 20 p	w pressure 3.5" W.C ressure 14.0" W.C. to installation rance ibles om sides and rear, "from top. Can be on a combustible floo d Service Clear-
F	RONT VIEW			DRAIN VALVE 1" NPT	10 +	only upon conne	ction diameter at to installation man

PVI RESERVES THE RIGHT TO CHANGE THE DESIGN AND SPECIFICATION WITHOUT NOTICE.



PV 9026 11-2018

